



wästberg / w084 studioilse



#### Product Information

Materials have hidden messages. These create a powerful link to our emotional psyches and shape our connection to daily life.

The w084 studioilse lamp is a sturdy friend, unpretentious and always there for us. We chose honest materials that carry clear messages: iron because of its feelings of stability, reliability, trust; wood because of its warmth and life, and mineral plastic because of its intimate glow, as well as its tactility.




Then we combined the three, trying to achieve a certain oddness. There is an innate awkwardness in the directional light that we wanted to amplify – rather as with people, this is a sympathetic quality, not a sin.

Design: Ilse Crawford



---

<b>Material (table, floor)</b>	The base is made of sand casted iron that is treated with vegetable oil and then burnt. The arms are made of beach, the joints of die casted aluminum and the shade is made of injection moulded chalk/glass/PBT.
<b>Dimmable (table, floor)</b>	The light is dimmable at the turn of a dimmer button.
<b>Slightly transparent shade (table, floor)</b>	The white shade gives a slightly transparent glow.
<b>Friction joints (table, floor)</b>	The friction joints are used to adjust the arm to the preferred fixed position.
<b>Adjustable shade (table, floor)</b>	The shade can be adjusted both vertically and horizontally.
<b>Rotation mechanism (table, floor)</b>	A rotation mechanism in the iron base allows rotation of the lamp.
<b>Material (pendant)</b>	The shade is made of aluminium.
<b>Material (wall)</b>	The bracket, counter-weight and dimmer-housing are made of sand-casted iron that is treated with vegetable oil and then burnt. The arm of the wall version is made of beach.
<b>Integrated LED (pendant, wall)</b>	The light technology is based on an energy-efficient, high quality LED solution, which gives a warm white light.
<b>Dimmable (pendant)</b>	The shade has an integrated dimmable electronic driver that enables dimming from an external dimmer. For example, a wall dimmer.
<b>Dimmable (wall)</b>	The wall lamp is equipped with a dimmer and dimmer-housing on the cord.
<b>Glare-protecting shade and diffuser (pendant, wall)</b>	The shade protects from glare while the diffuser gives an evenly disturbed light over a large surface.

Product name	w084 studioilse t1	w084 studioilse t2	w084 studioilse f																											
Dimensions (mm)																														
Model	Table lamp – one arm	Table lamp – two arms	Floor lamp																											
Mounting	Base	Base	Free-standing																											
Material	Cast iron, aluminium, beech, chalk/glass/PBT	Cast iron, aluminium, beech, chalk/glass/PBT	Cast iron, aluminium, beech, chalk/glass/PBT																											
Cord length	200 cm - textile cable	200 cm - textile cable	300 cm - textile cable																											
Light source	Halogen IRC, socket: GY 6.35 – included	Halogen IRC, socket: GY 6.35 – included	Halogen IRC, socket: GY 6.35 – included																											
Watt	Max 35 W	Max 35 W	Max 35 W																											
Lumen	670	670	670																											
Lumen/W	19	19	19																											
Colour temperature	3000 K	3000 K	3000 K																											
CRI	100	100	100																											
Light source life expectancy	4000 h	4000 h	4000 h																											
Light control	Dimmable	Dimmable	Dimmable																											
Energy class	C	C	C																											
Packaging dimensions	L60 x W45 x H20 cm (0,05 m <sup>3</sup> )	L60 x W45 x H20 cm (0,05 m <sup>3</sup> )	Box 1: L121 x W31 x H22 cm (0.08 m <sup>3</sup> ) Box 2: L27 x W25.5 x H7 cm (0.005 m <sup>3</sup> )																											
Packaging weight	5.6 kg	5.8 kg	Box 1: 4 kg / Box 2: 8 kg																											
	<table border="1"> <thead> <tr> <th>Colour</th> <th>EAN code</th> <th>Art. no.</th> </tr> </thead> <tbody> <tr> <td>Red cable</td> <td>7330492005522</td> <td>084T100</td> </tr> <tr> <td>Brown cable</td> <td>7330492005539</td> <td>084T103</td> </tr> </tbody> </table>	Colour	EAN code	Art. no.	Red cable	7330492005522	084T100	Brown cable	7330492005539	084T103	<table border="1"> <thead> <tr> <th>Colour</th> <th>EAN code</th> <th>Art. no.</th> </tr> </thead> <tbody> <tr> <td>Red cable</td> <td>7330492005546</td> <td>084T200</td> </tr> <tr> <td>Brown cable</td> <td>7330492005553</td> <td>084T203</td> </tr> </tbody> </table>	Colour	EAN code	Art. no.	Red cable	7330492005546	084T200	Brown cable	7330492005553	084T203	<table border="1"> <thead> <tr> <th>Colour</th> <th>EAN code</th> <th>Art. no.</th> </tr> </thead> <tbody> <tr> <td>Red cable</td> <td>7330492005560</td> <td>084F100</td> </tr> <tr> <td>Brown cable</td> <td>7330492005577</td> <td>084F103</td> </tr> </tbody> </table>	Colour	EAN code	Art. no.	Red cable	7330492005560	084F100	Brown cable	7330492005577	084F103
Colour	EAN code	Art. no.																												
Red cable	7330492005522	084T100																												
Brown cable	7330492005539	084T103																												
Colour	EAN code	Art. no.																												
Red cable	7330492005546	084T200																												
Brown cable	7330492005553	084T203																												
Colour	EAN code	Art. no.																												
Red cable	7330492005560	084F100																												
Brown cable	7330492005577	084F103																												

<b>Product name</b>	w084 studioilse w	w084 studioilse s																																																
<b>Dimensions (mm)</b>																																																		
<b>Model</b>	Wall lamp	Pendant lamp																																																
<b>Mounting</b>	Wall-mounted	Ceiling rose – included																																																
<b>Material</b>	Cast iron, beech, aluminium	Aluminium																																																
<b>Cord length</b>	200 cm, textile cable	300 cm, textile cable																																																
<b>Light source</b>	Integrated LED – included	Integrated LED – included																																																
<b>Watt</b>	8 W	8 W																																																
<b>Lumen</b>	790	790																																																
<b>Lumen/W</b>	100	100																																																
<b>Colour temperature</b>	3000 K	3000 K																																																
<b>CRI</b>	> 93	> 93																																																
<b>Light source life expectancy</b>	50.000 h	50.000 h																																																
<b>Light control</b>	Dimmable	Dimmable																																																
<b>Energy class</b>	A+	A+																																																
<b>Packaging dimensions</b>	Box 1: L45 x W45 x H40 cm (0.081 m <sup>3</sup> ) Box 2: L190 x W8.5 x H8.5 cm (0.007 m <sup>3</sup> )	L45 x W45 x H30 cm (0.061 m <sup>3</sup> )																																																
<b>Packaging weight</b>	Box 1: 6 kg – Box 2: 1.5 kg	2.5 kg																																																
	<table border="1"> <thead> <tr> <th>Colour</th> <th>EAN code</th> <th>Art. no.</th> <th>Colour</th> <th>EAN code</th> <th>Art. no.</th> </tr> </thead> <tbody> <tr> <td>Aluminium shade (Red cable)</td> <td>7330492005607</td> <td>084W100</td> <td>Signal white (White cable)</td> <td>7330492007878</td> <td>084S19003</td> </tr> <tr> <td>Aluminium shade (Brown cable)</td> <td>7330492005614</td> <td>084W103</td> <td>Grey white (Silver cable)</td> <td>7330492007885</td> <td>084S19002</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Stone grey (Silver cable)</td> <td>7330492007892</td> <td>084S17030</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Chrome green (Silver cable)</td> <td>7330492007908</td> <td>084S16020</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Jet black (Black cable)</td> <td>7330492007915</td> <td>084S19005</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Aluminium shade (Red cable)</td> <td>7330492005584</td> <td>084S100</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Aluminium shade (Brown cable)</td> <td>7330492005591</td> <td>084S103</td> </tr> </tbody> </table>	Colour	EAN code	Art. no.	Colour	EAN code	Art. no.	Aluminium shade (Red cable)	7330492005607	084W100	Signal white (White cable)	7330492007878	084S19003	Aluminium shade (Brown cable)	7330492005614	084W103	Grey white (Silver cable)	7330492007885	084S19002				Stone grey (Silver cable)	7330492007892	084S17030				Chrome green (Silver cable)	7330492007908	084S16020				Jet black (Black cable)	7330492007915	084S19005				Aluminium shade (Red cable)	7330492005584	084S100				Aluminium shade (Brown cable)	7330492005591	084S103	
Colour	EAN code	Art. no.	Colour	EAN code	Art. no.																																													
Aluminium shade (Red cable)	7330492005607	084W100	Signal white (White cable)	7330492007878	084S19003																																													
Aluminium shade (Brown cable)	7330492005614	084W103	Grey white (Silver cable)	7330492007885	084S19002																																													
			Stone grey (Silver cable)	7330492007892	084S17030																																													
			Chrome green (Silver cable)	7330492007908	084S16020																																													
			Jet black (Black cable)	7330492007915	084S19005																																													
			Aluminium shade (Red cable)	7330492005584	084S100																																													
			Aluminium shade (Brown cable)	7330492005591	084S103																																													

---

**Wästberg is a Swedish lighting company aimed at bringing back light to human proximity, by restoring the private spheres man has been deprived of during decades of misguided pursuit of efficiency and standardisation. The universally acclaimed lamps are created in close collaboration with some of the world's most renowned architects, designers and lighting experts, and have earned prestigious awards for their combination of aesthetics, cutting-edge technology and resource conservation.**

**wästberg**

Wästberg  
Box 22266  
250 24 Helsingborg  
Sweden

P+46 42 284 440  
F+46 42 284 480  
info@wastberg.com  
www.wastberg.com